



THE NETHERLANDS (NEDERLAND)



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- granted of type-approval
- extension of type-approval
- refusal of type-approval
- withdrawal of type-approval

of a type of vehicle/component/separate technical unit with regard to 72/245/EEC Directive as last amended by 95/54/EC Directive.

Type-approval No e4*72/245*95/54*0695*00

Reasons for extension

Approval mark e 4 020695

SECTION I

0.1. Make (trade name of manufacturer) FEDERAL SIGNAL

0.2. Type and general commercial description(s) ELECTRONIC SIREN

PA 300 12V PA 300 24V SS2000SM/SS2000SS

MS4000/MS4000U Means of identification of type, if marked on the

0.3.1. Location of that marking See technical documentation

0.4. Category of vehicle

vehicle/eomponent/separate technical unit

In the case of components and separate

0.5. Name and address of manufacturer FEDERAL SIGNAL CORPORATION

2645 Federal Signal Drive

See technical documentation

University Park, IL 60466-3195 U.S.A.

technical units, location and method of affixing See technical documentation of the approval mark

0.8. Address(es) of assembly plant(s) -FEDERAL SIGNAL CORPORATION

2645 Federal Signal Drive

University Park, IL 60466-3195 U.S.A.

2700 AT Zoetermeer The Netherlands

0.3.

0.7.

Tel. + 31 (0)79 345 81 43 Fax + 31 (0)79 345 80 43 www.rdw.nl

Vehicle Approval and Information

5.

Remarks (if any)

Appendix to Type-Approval Communication Form N° e4*72/245*95/54*0695*00 Concerning the Type-Approval of a Vehicle with regard to Directive 72/245/EEC as last amended by Directive 95/54/EC

- Additional information (where applicable)
- 1.1. Electrical system rated voltage : 12V or 24V, negative ground
- 1.2. This ESA can be used on any vehicle type with the following restrictions : ---
- 1.2.1. Installation conditions, if any : ---
- 1.3. This ESA can be used only on the following vehicle types : The use of this ESA is strictly reserved to the priority vehicles legally authorised.
- 1.3.1. Installation conditions, if any : See technical documentation
- 1.4 The specific test method(s) used and the frequency ranges covered to determine immunity were : Free field; 20 1000 MHz
- 1.5. Approved/accredited laboratory responsible for carrying out the tests : IDIADA AT L'Albornar, P.O. Box 20 E-43710 Santa Oliva (Tarragona)

SPAIN

